

Pipistrello

Pipistrello tunable white

Gae Aulenti


Tipologia	Table	Floor
Utilizzo	Indoor	

230V 12.6W 1560lm 1560lm


luce diffusa

Thanks to the Tunable White Led (dynamic white) technology, the Pipistrello lamp is able reproduce the natural light pattern by modulating the color temperature of the LEDs.
Based on demands or needs, the user can modify the tone of white as they wish through the CASAMBI application that allows adjusting the color from 2500K to 6700K, enhancing even the most minute nuances, improving perception and featuring a high quality color rendering (Ra 90) without altering the colors. Height-adjustable, diffused light table or floor lamp. Satin-finish stainless steel telescope, white opal methacrylate diffuser. Base and upper knob in lacquered aluminum available in several colors.
Integrated and dimmable LED light source.
Electronic driver on the plug.

Family	Pipistrello
Typology	Table Floor
Utilisation	Indoor



Altezza	70 - 86 cm
Diametro	55 cm
Weight	10 Kg



Materiali


Struttura	stainless steel	Diffusore	methacrylate

Tensione	230V	Watt	12.6 W
Dimmerazione	Bluetooth	Lumen	1560 lm1560 lm
		CRI	>80
			50000 h
		CCT	2500 K
			6500 K
		CCT	E

Certifications

CE IP20

Curve fotometriche



Colour variant code

620/DIM/BD/L/1/BI

White



620/DIM/BD/L/1/MA



620/DIM/BD/L/1/TI



620/DIM/BD/L/1/OT

Gallery

